

## Reference List

1. Graven SN, Browne JV. Sleep and brain development: the critical role of sleep in fetal and early neonatal brain development. *Newborn and infant nursing reviews*. 2008;8(4):173-9.
2. Arduini D, Rizzo G, Giorlandino C, Valensise H, Dell'Acqua S, Romanini C. The development of fetal behavioural states: a longitudinal study. *Prenat diagn*. 1986;6(2):117-24.
3. Pillai M, James DK, Parker M. The development of ultradian rhythms in the human fetus. *Am J obstet gynecol*. 1992;167(1):172-7.
4. Martin CB, Jr. Behavioral states in the human fetus. *J reprod med*. 1981;26(8):425-32.
5. Nijhuis JG, Prechtl HFR, Martin CB, Jr., Bots RSGM. Are there behavioural states in the human fetus? *Early human dev*. 1982;6:177-95.
6. Anders TF, Keener M. Developmental course of nighttime sleep-wake patterns in full-term and premature infants during the first year of life. I. *Sleep*. 1985;8(3):173-92.
7. Holditch-Davis D, Edwards LJ. Temporal organization of sleep-wake states in preterm infants. *Dev psychobiol*. 1998;33(3):257-69.
8. Scher MS, Johnson MW, Holditch-Davis D. Cyclicity of neonatal sleep behaviors at 25 to 30 weeks' postconceptional age. *Pediatr res*. 2005;57(6):879-82.
9. Hoppenbrouwers T, Hodgman JE, Rybine D, Fabrikant G, Corwin M, Crowell D, et al. Sleep architecture in term and preterm infants beyond the neonatal period: the influence of gestational age, steroids, and ventilatory support. *Sleep*. 2005;28(11):1428-36.
10. Dereymaeker A, Pillay K, Vervisch J, De Vos M, Van Huffel S, Jansen K, et al. Review of sleep-EEG in preterm and term neonates. *Early hum dev*. 2017;113:87-103.

11. Grigg-Damberger MM. The Visual scoring of sleep in infants 0 to 2 months of age. *J clin sleep med.* 2016;12(3):429-45.
12. Franco P, Kato I, Richardson HL, Yang JS, Montmitro E, Horne RS. Arousal from sleep mechanisms in infants. *Sleep medicine.* 2010;11:603-14.
13. Bonan KC, Pimentel Filho Jda C, Tristao RM, Jesus JA, Campos Junior D. Sleep deprivation, pain and prematurity: a review study. *Arq neuropsiquiatr.* 2015;73(2):147-54.
14. Cirelli C, Tononi G. Cortical development, electroencephalogram rhythms, and the sleep/wake cycle. *Biol psychiatry.* 2015;77(12):1071-8.
15. Bennet L, Walker DW, Horne RSC. Waking up too early - the consequences of preterm birth on sleep development. *J physiol.* 2018;596(23):5687-708.
16. Liaw JJ, Yang L, Katherine Wang KW, Chen CM, Chang YC, Yin T. Non-nutritive sucking and facilitated tucking relieve preterm infant pain during heel-stick procedures: a prospective, randomised controlled crossover trial. *Int J nurs stud.* 2012;49(3):300-9.
17. Chu CJ, Leahy J, Pathmanathan J, Kramer MA, Cash SS. The maturation of cortical sleep rhythms and networks over early development. *Clin neurophysiol.* 2014;125(7):1360-70.
18. Barbeau DY, Weiss MD. Sleep disturbances in newborns. *Children.* 2017;4(90):1-16.  
Aavailable from: [www.mdpi.com/journal/children](http://www.mdpi.com/journal/children).
19. Shellhaas RA, Kenia PV, Hassan F, Barks JDE, Kaciroti N, Chervin RD.  
Sleep-disordered breathing among newborns with myelomeningocele. *J pediatr.* 2018;194:244-7  
e1.
20. Barcat L, Decima P, Bodin E, Delanaud S, Stephan-Blanchard E, Leke A, et al. Distal skin vasodilation promotes rapid sleep onset in preterm neonates. *J sleep res.* 2017;26(5):572-7.

21. Lehtonen L, Martin RJ. Ontogeny of sleep and awake states in relation to breathing in preterm infants. *Semin neonatol.* 2004;9(3):229-38.
22. Qureshi A, Malkar M, Splaingard M, Khuhro A, Jadcherla S. The role of sleep in the modulation of gastroesophageal reflux and symptoms in NICU neonates. *Pediatr neurol.* 2015;53(3):226-32.
23. Hagmann-von Arx P, Perkinson-Gloor N, Brand S, Albert D, Hosboer-Trachsler E, Grob A, et al. In school-age children who were born very preterm sleep efficiency is associated with cognitive function. *Neuropsychobiology.* 2014;70:244-52.
24. Arditi-Babchuk H, Feldman R, Eidelman AI. Rapid eye movement (REM) in premature neonates and developmental outcome at 6 months. *Infant behav dev.* 2009;32(1):27-32.
25. Bueno C, Menna-Barreto L. Development of sleep/wake, activity and temperature rhythms in newborns maintained in a neonatal intensive care unit and the impact of feeding schedules. *Infant behav dev.* 2016;44:21-8.
26. El-Dib M, Massaro AN, Glass P, Aly H. Sleep wake cycling and neurodevelopmental outcome in very low birth weight infants. *J matern fetal neonatal med.* 2014;27(9):892-7.
27. Weisman O, Magori-Cohen R, Louzoun Y, Eidelman AI, Feldman R. Sleep-wake transitions in premature neonates predict early development. *Pediatrics.* 2011;128(4):706-14.
28. Geva R, Yaron H, Kuint J. Neonatal sleep predicts attention orienting and distractibility. *J atten disord.* 2016;20(2):138-50.
29. Takenouchi T, Rubens EO, Yap VL, Ross G, Engel M, Perlman JM. Delayed onset of sleep-wake cycling with favorable outcome in hypothermic-treated neonates with encephalopathy. *The journal of pediatrics.* 2011;159(2):232-7.

30. Levy J, Hassan F, Plegue MA, Sokoloff MD, Kushwaha JS, Chervin RD, et al. Impact of hands-on care on infant sleep in the neonatal intensive care unit. *Pediatr pulmonol.* 2017;52:84-90.
31. Edraki M, Paran M, Montaseri S, Razavi Nejad M, Montaseri Z. Comparing the effects of swaddled and conventional bathing methods on body temperature and crying duration in premature infants: a randomized clinical trial. *J caring sci.* 2014;3(2):83-91.
32. Jeanson E. One-to-one bedside nurse education as a means to improve positioning consistency. *Newborn & infant nursing reviews.* 2013;13:27-30.
33. Mahmoodi N, Arbabisarjou A, Rezaeipoor M, Pishkar Mofrad Z. Nurses' awareness of preterm neonates' sleep in the NICU. *Glob J health sci.* 2015;8(6):226-33.
34. Prechtl HFR. The behavioral states of the newborn infant (a review). *Brain research.* 1974;76(2):185-212.
35. Holditch-Davis D, Brandon DH, Schwartz T. Development of behaviors in preterm infants: relation to sleeping and waking. *Nurs res.* 2003;52(5):307-17.
36. Holditch-Davis DH, Thoman EB. Behavioral states of premature infants: implications for neural and behavioral development. *Dev psychobiol.* 1987;20(1):25-38.
37. Anders TF, Sostek AM. The use of time lapse video recording of sleep-wake behavior in human infants. *Psychophysiology.* 1976;13(2):155-8.
38. Booth CL, Leonard HL, Thoman EB. Sleep states and behavior patterns in preterm and fullterm infants. *Neuropediatrics.* 1980;11(4):354-64.

39. Lacina L, Casper T, Dixon M, Harmeyer J, Haberman B, Alberts JR, et al. Behavioral observation differentiates the effects of an intervention to promote sleep in premature infants: a pilot study. *Adv neonatal care*. 2015;15(1):70-6.
40. Bakermans-Kranenburg MJ, van IJzendoorn MH. Protective parenting: neurobiological and behavioral dimensions. *Current opinion in psychology*. 2017;15:45-9.
41. Pierrat V, Goubet N, Peifer K, J S. How can we evaluate developmental care practices prior to their implementation in a Neonatal Intensive Care Unit? *Early hum dev*. 2007;83:415-8.
42. Rivkees SA, Mayes L, Jacobs H, Gross I. Rest-activity patterns of premature infants are regulated by cycled lighting. *Pediatrics*. 2004;113(4):833-9.
43. Stephan-Blanchard E, Chardon K, Leke A, Delanaud S, Bach V, Telliez F. Heart rate variability in sleeping preterm neonates exposed to cool and warm thermal conditions. *PLoS One*. 2013;8(7):e68211.
44. Cardoso SM, Kozlowski L, Lacerda ABM, Marques JM, Ribas A. Newborn physiological responses to noise in the neonatal unit. *Braz J otorhinolaryngol*. 2015;81(6):583-8.
45. Almadhoob A, Ohlsson A. Sound reduction management in the neonatal intensive care unit for preterm or very low birth weight infants. *Cochrane database syst rev*. 2015;1:CD010333.
46. Kuhn P, Zores C, Langlet C, Escande B, Astruc D, Dufour A. Moderate acoustic changes can disrupt the sleep of very preterm infants in their incubators. *Acta paediatr*. 2013;102(10):949-54.
47. Bertelle V, Sevestre A, Laou-Hap K, Nagahapitiye MC, Sizun J. Sleep in the neonatal intensive care unit. *J perinat neonatal nurs*. 2007;21(2):140-8; quiz 9-50.

48. Brooks E, Canal MM. Development of circadian rhythms: role of postnatal light environment. *Neurosci biobehav rev.* 2013;37(4):551-60.
49. Jarus T, Bart O, Rabinovich G, Sadeh A, Bloch L, Dolfen T, et al. Effects of prone and supine positions on sleep state and stress responses in preterm infants. *Infant behav dev.* 2011;34(2):257-63.
50. Brandon DH, Silva SG, Park J, Malcolm W, Kamhawy H, Holditch-Davis D. Timing for the introduction of cycled light for extremely preterm infants: a randomized controlled trial. *Res nurs health.* 2017;40(4):294-310.
51. Morag I, Ohlsson A. Cycled light in the intensive care unit for preterm and low birth weight infants. *Cochrane database syst rev.* 2013(8):CD006982.
52. Morag I, Ohlsson A. Cycled light in the intensive care unit for preterm and low birth weight infants. *Cochrane database syst rev.* 2016(8):CD006982.
53. Valizadeh L, Ghahremani G, Gharehbaghi MM, Jafarabad MA. The effects of flexed (fetal tucking) and extended (free body) postures on the daily sleep quantity of hospitalized premature infants: a randomized clinical trial. *J res med sci.* 2016;21:132.
54. Szymczak SE, Shellhaas RA. Impact of NICU design on environmental noise. *J neonatal nurs.* 2014;20(2):77-81.
55. Pineda R, Guth R, Herring A, Reynolds L, Oberle S, Smith JA. State-of-the-art: enhancing sensory experiences for very preterm infants in the NICU: an integrative review. *Journal of perinatology.* 2017;37:323-32.

56. Ramm K, Mannix T, Parry Y, Gaffney MP. A comparison of sound levels in open plan versus pods in a Neonatal Intensive Care Unit. *Health environments resesarch & design journal*. 2017;10(3):30-9.
57. White RD, Smith JA, Shepley MM. Recommended standards for newborn ICU design, eighth edition. *Journal of perinatology*. 2013;33(S1):S2-S16.
58. Axelin A, Kirjavainen J, Salantera S, Lehtonen L. Effects of pain management on sleep in preterm infants. *Eur J pain*. 2010;14(7):752-8.
59. Liaw JJ, Yang L, Lee CM, Fan HC, Chang YC, Cheng LP. Effects of combined use of non-nutritive sucking, oral sucrose, and facilitated tucking on infant behavioural states across heel-stick procedures: a prospective, randomised controlled trial. *Int J nurs stud*. 2013;50(7):883-94.
60. Bastani F, Rajai N, Farsi Z, Als H. The effects of kangaroo care on the sleep and wake states of preterm infants. *J nurs res*. 2017;25(3):231-9.
61. Feldman R, Rosenthal Z, Eidelman AI. Maternal-preterm skin-to-skin contact enhances child physiologic organization and cognitive control across the first 10 years of life. *Biol psychiatry*. 2014;75(1):56-64.
62. Kaffashi F, Scher MS, Ludington-Hoe SM, Loparo KA. An analysis of the kangaroo care intervention using neonatal EEG complexity: a preliminary study. *Clin neurophysiol*. 2013;124(2):238-46.
63. Ludington-Hoe S, Johnson M, Morgan K, lewis T, Gutman P, Wilson D, et al. Neurophysiologic assessment of neonatal sleep organization: preliminary results of a randomized, controlled trial of skin contact with preterm infants. *Pediatrics*. 2006;117(5):909-23.

64. Feldman R. The development of regulatory functions from birth to 5 years: insights from premature infants. *Child dev.* 2009;80(2):544-61.
65. Feldman R, Eidelman AI, Sirota L, Weller A. Comparison of skin-to-skin (kangaroo) and traditional care: parenting outcomes and preterm infant development. *Pediatrics.* 2002;110(1 Pt 1):16-26.
66. Weber A, Harrison TM, Steward D, Sinnott L, Shoben A. Oxytocin trajectories and social engagement in extremely premature infants during NICU hospitalization. *Infant behav dev.* 2017.
67. Milgrom J, Newnham C, Anderson P, Doyle P, Gemmill A, Lee K, et al. Early sensitivity training for parents of preterm infants: impact on the developing brain. *Pediatr res.* 2010;67(3):330-5.
68. Beebe B, Myers MM, Lee SH, Lange A, Ewing J, Rubinchik N, et al. Family nurture intervention for preterm infants facilitates positive mother-infant face-to-face engagement at 4 months. *Dev psychol.* 2018;54(11):2016-31.
69. Welch MG, Myers MM, Grieve PG, Isler JR, Fifer WP, Sahni R, et al. Electroencephalographic activity of preterm infants is increased by Family Nurture Intervention: a randomized controlled trial in the NICU. *Clin neurophysiol.* 2014;125(4):675-84.
70. Moody C, Callahan TJ, Aldrich H, Gance-Cleveland B, Sables-Baus S. Early initiation of Newborn Individualized Developmental Care and Assessment Program (NIDCAP) reduces length of stay: a quality improvement project. *J pediatr nurs.* 2017;32:59-63.
71. Nelson AM, Bedford PJ. Mothering a preterm infant receiving NIDCAP care in a level III Newborn Intensive Care Unit. *J pediatr nurs.* 2016;31(1532-8449 (Electronic)):e271-82.



72. Moon RY. SIDS and other sleep-related infant deaths: updated 2016 recommendations for a safe infant sleeping environment. *Pediatrics*. 2016;138.
73. Brenner RA, Simons-Morton BG, Bhaskar B, Mehta N, Melnick VL, Revenis M, et al. Prevalence and predictors of the prone sleep position among inner-city infants. *Jama*. 1998;280(4):341-6.
74. Crawford D. Understanding the physiology of sleep and promoting effective routines with infants in hospital and at home. *Nursing children and young people*. 2017;29(4):36-44.
75. Moon RY, Hauck FR, Colson ER. Safe infant sleep interventions: what is the evidence for successful behavior change? *Curr pediatr rev*. 2016;12(1):67-75.
76. Holditch-Davis D, et al., Scher M, Schwartz T, Hudson-Barr D. Sleeping and waking state development in preterm infants. *Early hum dev*. 2004;80(1):43-64.
77. Korotchikova I, Stevenson NJ, Livingstone V, Ryan CA, Boylan GB. Sleep-wake cycle of the healthy term newborn infant in the immediate postnatal period. (1872-8952 (Electronic)).
78. Heitmann R, Nilles EK, Jeans A, Moreland J, Clarke C, McDonald MF, et al. Improving safe sleep modeling in the hospital through policy implementation. *Matern child health J*. 2017;21(11):1995-2000.
79. Kellams A, Parker MG, Geller NL, Moon RY, Colson ER, Drake E, et al. Today's Baby quality improvement: safe sleep teaching and role modeling in 8 US Maternity Units. *Pediatrics*. 2017;140(5).
80. McMullen SL. Transitioning premature infants supine: state of the science. *Am J matern child nurs*. 2013;38(1):8-12; quiz 3-4.

81. Bathory E, Tomopoulos S, Rothman R, Sanders L, Perrin EM, Mendelsohn A, et al. Infant sleep and parent health literacy. *Academic pediatrics*. 2016;16(6):550-7.
82. McDowall PS, Galland BC, Campbell AJ, Elder DE. Parent knowledge of children's sleep: a systematic review. *Sleep med rev*. 2017;31:39-47.