

## Reference List

1. Als H. A synactive model of neonatal behavioral organization: framework for the assessment of neurobehavioral development in the premature infant and for support of infants and parents in the neonatal intensive care environment. *The High-Risk Neonate: Developmental Therapy Perspectives*. New York: The Haworth Press; 1986. p. 3-53.
2. European Foundation for the Care of Newborn Infants (EFCNI). European standards of care for newborn health. Eds S Mader, N Thiele, JM Walz, 2018. Available from: <https://newborn-health-standards.org/>
3. Als H, Duffy FH, McAnulty GB, Rivkin MJ, Vajapeyam S, Mulkern RV, et al. Early Experience alters brain function and structure. *Pediatrics*. 2004;113(4):846-57.
4. Als H, Gilkerson L, Duffy F, Mc Anulty G, Buehler D, Vandenberg K, et al. A three-center, randomized, controlled trial of individualized developmental care for very low birth weight preterm infants: medical, neurodevelopmental, parenting, and caregiving effects. *J dev behav pediatr*. 2003;24(6):399-408.
5. Moody C, Callahan TJ, Aldrich H, Gance-Cleveland B, Sables-Baus S. Early initiation of newborn individualized developmental care and assessment program (NIDCAP) reduces length of stay: a quality improvement project. *J pediatr nurs*. 2017;32:59-63.
6. Westrup B, Bohm B, Lagercrantz H, Stjernqvist K. Preschool outcome in children born very prematurely and cared for according to the newborn individualized developmental care and assessment program (NIDCAP). *Acta paediatrica*. 2004;93:498-507.

7. Westrup B, Kleberg A, von Eichwald K, Stjernqvist K, Lagercrantz H. A randomized, controlled trial to evaluate the effects of the newborn individualized developmental care and assessment program in a Swedish setting. *Pediatrics*. 2000;105(1 Pt 1):66-72.
8. Sannino P, Gianni ML, De Bon G, Fontana C, Picciolini O, Plevani L, et al. Support to mother of premature babies using NIDCAP method: a non-randomized controlled trial. *Early hum dev*. 2016;95:15-20.
9. Parker MG, Rybin DV, Heeren TC, Thoyre SM, & , Corwin MJ. Postdischarge feeding interactions and neurodevelopmental outcome at 1-year corrected gestational age. *J pediatr*. 2016;174:104-10.
10. Puckett B, Grover VK, Holt T, Sankaran K. Cue-based feeding for preterm infants: a prospective trial. *Am j perinatol*. 2008;25(10):623-8.
11. McCain GC. An evidence-based guideline for introducing oral feeding to healthy preterm infants. *Neonatal network - Journal of neonatal nursing*. 2003;22(5):45-50.
12. McCain GC, Del Moral T, Duncan RC, Fontaine JL, & , Pino LD. Transition from gavage to nipple feeding for preterm infants with bronchopulmonary dysplasia. *Nurs res*. 2012.
13. McCain GC, Gartside PS, Greenberg JM, & , Lott JW. A feeding protocol for healthy preterm infants that shortens time to oral feeding. *J pediatr*. 2001;139(3):374-9.
14. Crosson DD, Pickler RH. An integrated review of the literature on demand feedings for preterm infants. *Adv neonatal care*. 2004;4(4):216-25.
15. Pickler RH, McGrath JM, Reyna BA, McCain N, Lewis M, Cone S, et al. A model of neurodevelopmental risk and protection for preterm infants. *J perinat neonatal nurs*. 2010;24(4):356-65.

16. Horner S, Simonelli AM, Schmidt H, Cichowski K, Hancko M, Zhang G, et al. Setting the stage for successful oral feeding: the impact of implementing the SOFFI feeding program with medically fragile NICU infants. *J perinat neonatal nurs.* 2014;28(1):59-68.
17. Hanin M, Nuthakki S, Malkar MB, &, Jadcherla SR. Safety and efficacy of oral feeding in infants with BPD on nasal CPAP. *Dysphagia.* 2015;30(2):121-7.
18. Brown LF, Pickler R. A guided feeding intervention for mothers of preterm infants: two case studies. *J spec pediatr nurs.* 2013;18(2):98-108.
19. Milette I, Martel M-J, da Silva MR, McNeil MC. Guidelines for the institutional implementation of developmental neuroprotective care in the NICU, Part B: recommendations and justification. A Joint Position Statement From the CANN, CAPWHN, NANN, and COINN. *Canadian journal of nursing research.* 2017;49(2):63-74.
20. Thoyre SM, Hubbard C, Park J, Pridham K, &, McKechnie A. Implementing co-regulated feeding with mothers of preterm infants. *Am j matern child nurs.* 2016;41(4):204-11.
21. Thoyre SM, Holditch-Davis D, Schwartz TA, Melendez Roman CR, &, Nix W. Coregulated approach to feeding preterm infants with lung disease: effects during feeding. *Nurs res.* 2012;61(4):242-51.
22. Thoyre S, Park J, Pados B, &, Hubbard C. Developing a co-regulated, cue-based feeding practice: the critical role of assessment and reflection. *J neonatal nurs.* 2013;19(4):139-48.
23. Sables-Baus S, DeSanto K, Henderson S, Kunz J, Morris A, Shields L, et al. Infant-directed oral feeding for premature and critically ill hospitalized infants: guideline for practice. [www.nann.org](http://www.nann.org): National Association of Neonatal Nurses; 2013.

24. Ross ES, & , Philbin MK. SOFFI: An evidence-based method for quality bottle-feedings with preterm, ill, and fragile infants. *Journal of perinatal and neonatal nursing*. 2011;25(4):349-57.
25. Pados BF, Thoyre SM, Knafl GJ, Nix WB. Heart Rate Variability as a feeding intervention outcome measure in the preterm infant. *Adv neonatal care*. 2017;17(5):E10-E20.
26. Thoyre SM, Carlson J. Occurrence of oxygen desaturation events during preterm infant bottle feeding near discharge. *Early hum dev*. 2003;72(1):25-36.
27. Thoyre SM, Carlson JR. Preterm infants' behavioural indicators of oxygen decline during bottle feeding. *J adv nurs*. 2003;43(6):631-41.
28. Thoyre SM. Challenges mothers identify in bottle feeding their preterm infants. *Neonat netw*. 2001;20(1):45-54.
29. Browne JV, Talmi A. Family-based intervention to enhance infant–parent relationships in the neonatal intensive care unit. *J pediatr psychol*. 2005;30(8):667-77.
30. Stevens EE, Gazza E, Pickler R. Parental experience learning to feed their preterm infants. *Adv neonatal care*. 2014;14(5):354-61.
31. Thoyre S. Mothers' ideas about their role in feeding their high-risk infants. *J obstet gynecol neonatal nurs*. 2000;29(6):613-24.
32. Reyna BA, Pickler RH, Thompson A. A descriptive study of mothers' experiences feeding their preterm infants after discharge. *Adv neonatal care*. 2006;6(6):333-40.
33. Fuhrman L, Ross ES. Foundations for successful feeding post hospital discharge. *American journal of maternal/child nursing*. 2019;(in press).

34. White-Traut RC, Rankin KM, Yoder JC, Liu L, Vasa R, Geraldo V, et al. Influence of H-HOPE intervention for premature infants on growth, feeding progression and length of stay during initial hospitalization. *J perinatol.* 2015;35(8):636-41.
35. White-Traut R, Norr KF, Fabiyi C, Rankin KM, Li Z, Liu L. Mother-infant interaction improves with a developmental intervention for mother-preterm infant dyads. *Infant behav dev.* 2013;36(4):694-706.
36. Gianni ML, Sannino P, Bezze E, Comito C, Plevani L, Roggero P, et al. Does parental involvement affect the development of feeding skills in preterm infants? A prospective study. *Early hum dev.* 2016;103:123-8.
37. Dsilna A, Christensson K, Alfredsson L, Lagercrantz H, & , Blennow M. Continuous feeding promotes gastrointestinal tolerance and growth in very low birth weight infants. *J pediatr.* 2005;147(1):43-9.
38. Dsilna A, Christensson K, Gustafsson AS, Lagercrantz H, Alfredsson L. Behavioral stress is affected by the mode of tube feeding in very low birth weight infants. *Clin j pain.* 2008;24(5):447-55.
39. Jadcherla SR, Peng J, Moore R, Saavedra J, Shepherd E, Fernandez S, et al. Impact of personalized feeding program in 100 NICU infants: pathophysiology-based approach for better outcomes. *J pediatr gastroenterol nutr.* 2012;54(1):62-70.
40. Jadcherla SR, Wang M, Vijayapal AS, Leuthner SR. Impact of prematurity and co-morbidities on feeding milestones in neonates: a retrospective study. *J perinatol.* 2010;30(3):201-8.

41. Ranger M, Zwicker JG, Chau CM, Park MT, Chakravarthy MM, Poskitt K, et al. Neonatal pain and infection relate to smaller cerebellum in very preterm children at school age. *J pediatr*. 2015;167(2):292-8 e.1.
42. McCain GC, Fuller EO, Gartside PS. Heart rate variability and feeding bradycardia in healthy preterm infants during transition from gavage to oral feeding. *Newborn and infant nursing reviews*. 2005;5(3):124-32.
43. White RD, Smith JA, Shepley MM, Committee to Establish Recommended Standards for Newborn ICUD. Recommended standards for newborn ICU design, eighth edition. *J perinatol*. 2013;33 Suppl 1:S2-16.
44. Lessen BS. Effect of the premature infant oral motor intervention on feeding progression and length of stay in preterm infants. *Adv neonatal care*. 2011;11(2):129-39.
45. Rustam LB, Masri S, Atallah N, Tamim H, Charafeddine L. Sensorimotor therapy and time to full oral feeding in <33weeks infants. *Early hum dev*. 2016;99:1-5.
46. Younesian S, Yadegari F, Soleimani F. Impact of oral sensory motor stimulation on feeding performance, length of hospital stay, and weight gain of preterm infants in NICU. *Iran red crescent med j*. 2015;17(7):e13515.
47. Lyu T, Zhang Y, Hu X, Cao Y, Ren P, Wang Y. The effect of an early oral stimulation program on oral feeding of preterm infants. *Int j nurs science*. 2014;1:42-7.
48. Browne J, Ross E. Eating as a neurodevelopmental process for high risk newborns. *Clinics in perinatology*. 2011;38(4):731-43.
49. Barlow SM. Central pattern generation involved in oral and respiratory control for feeding in the term infant. *Curr opin otolaryngol head neck surg*. 2009;17(3):187-93.

50. Pados BF, Thoyre SM, Estrem HH, Park J, Knafl GJ, Nix B. Effects of milk flow on the physiological and behavioural responses to feeding in an infant with hypoplastic left heart syndrome. *Cardiology in the young*. 2016;1-15.
51. Lin SC, Lin CH, Zhang JW, Chen SM, Chen CL, Huang MC. Breast- and bottle-feeding in preterm infants: a comparison of behavioral cues. *Hu Li Za Zhi*. 2013;60(6):27-34.
52. Mathew OP. Respiratory control during nipple feeding in preterm infants. *Pediatr pulmonol*. 1988;5(4):220-4.
53. Mathew OP. Science of bottle feeding. *J pediatr*. 1991;119(4):511-9.
54. Wang Y-W, Hung H-Y, Lin C-H, Wang C-J, Lin Y-J, Chang Y-J. Effect of a delayed start to oral feeding on feeding performance and physiological responses in preterm infants: a randomized clinical trial. *The journal of nursing research*. 2018;26(5):324-31.
55. Pickler RH, Best AM, Reyna BA, Wetzel PA, Gutcher GR. Prediction of feeding performance in preterm infants. *Newborn and infant nursing reviews*. 2005;5(3):116-23.
56. Briere CE, McGrath J, Cong X, & , Cusson R. State of the science: a contemporary review of feeding readiness in the preterm infant. *J perinat neonatal nurs*. 2014;28(1):51-8.
57. Als H. Newborn individualized developmental care and assessment program (NIDCAP): new frontier for neonatal and perinatal medicine. *Journal of neonatal-perinatal medicine*. 2009;2:135-47.
58. Pickler RH, Reyna BA, Griffin JB, Lewis M, & , Thompson AM. Changes in oral feeding in preterm infants two weeks after hospital discharge. *Newborn infant nurs rev*. 2012;12(4):202-6.

59. Pickler RH, Best A, & Crosson D. The effect of feeding experience on clinical outcomes in preterm infants. *J perinatol.* 2009;29(2):124-9.
60. Ross ES, & Browne JV. Developmental progression of feeding skills: an approach to supporting feeding in preterm infants. *Seminars in neonatology.* 2002;7(6):469-75.
61. Dowling DA. Physiological responses of preterm infants to breast-feeding and bottle-feeding with the orthodontic nipple. *Nurs res.* 1999;48(2):78-85.
62. Lucas RF, Smith RL. When is it safe to initiate breastfeeding for preterm infants? *Adv neonatal care.* 2015;15(2):134-41.
63. Nyqvist KH. Early attainment of breastfeeding competence in very preterm infants. *Acta paediatr.* 2008;97(6):776-81.
64. Nyqvist KH. Lack of knowledge persists about early breastfeeding competence in preterm infants. *J hum lact.* 2013;29(3):296-9.
65. Mathew OP. Breathing patterns of preterm infants during bottle feeding: role of milk flow. *J pediatr.* 1991;119(6):960-5.
66. Nyqvist KH, Farnstrand C, Eeg-Olofsson KE, Ewald U. Early oral behaviour in preterm infants during breastfeeding: an electromyographic study. *Acta paediatr.* 2001;90(6):658-63.
67. Thoyre SM, & Brown RL. Factors contributing to preterm infant engagement during bottle-feeding. *Nurs res.* 2004;53(5):304-13.
68. Meier PP, Engstrom JL, Patel AL, Jegier BJ, Bruns NE. Improving the use of human milk during and after the NICU stay. *Clin perinatol.* 2010;37(1):217-45.
69. Pletsch D, Ulrich C, Angelini M, Fernandes G, & Lee DS. Mothers' "liquid gold": a quality improvement initiative to support early colostrum delivery via oral immune therapy



(OIT) to premature and critically ill newborns. *Nurs leadersh (Tor Ont)*. 2013;26 Spec No 2013:34-42.

70. Sohn K, Kalanetra KM, Mills DA, Underwood MA. Buccal administration of human colostrum: impact on the oral microbiota of premature infants. *J perinatol*. 2016;36(2):106-11.

71. Mastromarino P, Capobianco D, Campagna G, Laforgia N, Drimaco P, Dileone A, et al. Correlation between lactoferrin and beneficial microbiota in breast milk and infant's feces. *Biometals*. 2014;27(5):1077-86.

72. Section on Breastfeeding. Breastfeeding and the use of human milk. *Pediatrics*. 2012;129(3):e827-41.

73. Gregory KE, Samuel BS, Houghteling P, Shan G, Ausubel FM, Sadreyev RI, et al. Influence of maternal breast milk ingestion on acquisition of the intestinal microbiome in preterm infants. *Microbiome*. 2016;4(1):68.

74. Meier PP, Patel AL, Bigger HR, Rossman B, & Engstrom JL. Supporting breastfeeding in the neonatal intensive care unit: Rush Mother's Milk Club as a case study of evidence-based care. *Pediatr clin North Am*. 2013;61(1):209-226.

75. Nutrition ECo, Arslanoglu, S., Corpeleijn, W., Moro, G., Braegger, C., Campoy, C., . . . van Goudoever, J. . Donor human milk for preterm infants: current evidence and research directions. *J pediatr gastroenterol nutr*. 2013;57(4):535-42.

76. Horta BL, de L, Mola C, & Victora CG. Breastfeeding and intelligence: a systematic review and meta-analysis. *Acta paediatr*. 2015;104(467):14-9.

77. Lennon M. Improving in-hospital breastfeeding management for the late preterm infant. *Neonatal intensive care*. 2011;24(1):18-21.

78. Cong X, Judge M, Xu W, Diallo A, Janton S, Brownell EA, et al. Influence of feeding type on gut microbiome development in hospitalized preterm infants. *Nurs res.* 2017;66(2):123-33.
79. Ellsbury DL, Clark RH, Ursprung R, Handler DL, Dodd ED, Spitzer AR. A multifaceted approach to improving outcomes in the NICU: the Pediatrix 100,000 Babies Campaign. *Pediatrics.* 2016;137(4).
80. Kumar RK, Singhal A, Vaidya U, Banerjee S, Anwar F, Rao S. Optimizing nutrition in preterm low birth weight infants-consensus summary. *Frontiers in nutrition.* 2017;4:20.
81. Kim EJ, Lee NM, Chung SH. A retrospective study on the effects of exclusive donor human milk feeding in a short period after birth on morbidity and growth of preterm infants during hospitalization. *Medicine (Baltimore).* 2017;96(35):e7970.
82. Geddes DT, Chooi K, Nancarrow K, Hepworth AR, Gardner H, Simmer K. Characterisation of sucking dynamics of breastfeeding preterm infants: a cross sectional study. *BMC Pregnancy childbirth.* 2017;17(1):386.
83. Briere CE, McGrath J, Cong X, & , Cusson R. An integrative review of factors that influence breastfeeding duration for premature infants after NICU hospitalization. *J obstet gynecol neonatal nurs.* 2014;43(3):272-81.
84. Briere CE, McGrath JM, Cong X, Brownell E, Cusson R. Direct-breastfeeding premature infants in the Neonatal Intensive Care Unit. *J hum lact.* 2015;31(3):386-92.
85. Casavant SG, McGrath JM, Burke G, & , Briere CE. Caregiving factors affecting breastfeeding duration within a Neonatal Intensive Care Unit. *Adv neonatal care.* 2015;15(6):421-8.

86. National Association of Neonatal Nurses (NANN). The use of human milk and breastfeeding in the neonatal intensive care unit: NANN position statement #3052. *Adv neonatal care*. 2012;12(1):56-60.
87. Pineda R. Direct breast-feeding in the neonatal intensive care unit: is it important? *J perinatol*. 2011;31(8):540-5.
88. Pineda RG. Predictors of breastfeeding and breastmilk feeding among very low birth weight infants. *Breastfeed med*. 2011;6(1):15-9.
89. Davim RM, Enders BC, & da Silva RA. Mothers' feelings about breastfeeding their premature babies in a rooming-in facility. *Rev esc enferm USP*. 2011;44(3):713-8.
90. Nyqvist KH, Haggkvist AP, Hansen MN, Kylberg E, Frandsen AL, Maastrup R, . . . , et al. Expansion of the baby-friendly hospital initiative ten steps to successful breastfeeding into neonatal intensive care: expert group recommendations. *J hum lact*. 2013;29(3):300-9.
91. Collins CT, Makrides M, Gillis J, & McPhee AJ. Avoidance of bottles during the establishment of breast feeds in preterm infants. *Cochrane database syst rev*. 2008;4(4):CD005252.
92. Collins CT, Ryan P, Crowther CA, McPhee AJ, Paterson S, & Hiller JE. Effect of bottles, cups, and dummies on breast feeding in preterm infants: a randomised controlled trial. *BMJ*. 2004;329(7459):193-8.
93. Yilmaz G, Caylan N, Karacan CD, Bodur I, & Gokcay G. Effect of cup feeding and bottle feeding on breastfeeding in late preterm infants: a randomized controlled study. *J hum lact*. 2014;30(2):174-9.

94. Lucas R, Paquette R, Briere CE, McGrath JG. Furthering our understanding of the needs of mothers who are pumping breast milk for infants in the NICU: an integrative review. *Adv neonatal care*. 2014;14(4):241-52.
95. Padovani FH, Duarte G, Martinez FE, Linhares MB. Perceptions of breastfeeding in mothers of babies born preterm in comparison to mothers of full-term babies. *Span j psychol*. 2011;14(2):884-98.
96. Farrow C, Blissett J. Breast-feeding, maternal feeding practices and mealtime negativity at one year. *Appetite*. 2006;46(1):49-56.
97. Ehrenkranz RA, Dusick AM, Vohr BR, Wright LL, Wrage LA, Poole WK. Growth in the neonatal intensive care unit influences neurodevelopmental and growth outcomes of extremely low birth weight infants. *Pediatrics*. 2006;117(4):1253-61.
98. Rogers SP, Hicks PD, Hamzo M, Veit LE, Abrams SA. Continuous feedings of fortified human milk lead to nutrient losses of fat, calcium and phosphorous. *Nutrients*. 2010;2(3):230-40.
99. Silberstein D, Geva R, Feldman R, Gardner JM, Karmel BZ, Rozen H, et al. The transition to oral feeding in low-risk premature infants: relation to infant neurobehavioral functioning and mother-infant feeding interaction. *Early human development*. 2009;85(3):157-62.
100. Brown LF, Griffin J, Reyna B, Lewis M. The development of a mother's internal working model of feeding. *J spec pediatr nurs*. 2013;18(1):54-64.
101. Deloian B. *Caring connections: nursing support transitioning premature infants and their families home from the hospital*. Denver: University of Colorado Health Sciences Center, School of Nursing.; 1998.

102. Pridham K, Harrison T, Brown R, Krolikowski M, Limbo R, & Schroeder M. Caregiving motivations and developmentally prompted transition for mothers of prematurely born infants. *ANS Adv nurs sci.* 2012;35(3):E23-41.
103. Torola H, Lehtihalmes M, Yliherva A, & Olsen P. Feeding skill milestones of preterm infants born with extremely low birth weight (ELBW). *Infant behav dev.* 2012;35(2):187-94.
104. Gerstein ED, Poehlmann-Tynan J, Clark R. Mother-child interactions in the NICU: relevance and implications for later parenting. *Journal of pediatric psychology.* 2015;40(1):33-44.
105. Park J, Thoyre S, Estrem H, Pados BF, Knafl GJ, & Brandon D. Mothers' psychological distress and feeding of their preterm infants. *Am j matern child nurs.* 2016;41(4):221-9.
106. Dawson JA, Myers LR, Moorhead A, Jacobs SE, Ong K, Salo F, et al. A randomised trial of two techniques for bottle feeding preterm infants. *J paediatr child health.* 2013;49(6):462-6.
107. Spinelli M, Poehlmann J, & Bolt D. Predictors of parenting stress trajectories in premature infant-mother dyads. *J fam psychol.* 2013;27(6):873-33.
108. Bujold M, Feeley N, Axelin A, Cinquino C. Expressing human milk in the NICU: coping mechanisms and challenges shape the complex experience of closeness and separation. *Adv neonatal care.* 2018.
109. Lester BM, Hawes K, Abar B, Sullivan M, Miller R, Bigsby R, et al. Single-family room care and neurobehavioral and medical outcomes in preterm infants. *Pediatrics.* 2014;134(4):754-60.

110. Lester BM, Salisbury AL, Hawes K, Dansereau LM, Bigsby R, Laptook A, et al. 18-Month follow-up of infants cared for in a single-family room Neonatal Intensive Care Unit. *J pediatr*. 2016;177:84-9.
111. Bröring T, Oostrom K, Lafeber H, Jansma E, & , Oosterlaan J. Sensory modulation in preterm children: theoretical perspective and systematic review. *PLoS One*. 2017;12(2):e0170828.
112. Mitchell AW, Moore EM, Roberts EJ, Hachtel KW, & , Brown MS. Sensory processing disorder in children ages birth-3 years born prematurely: a systematic review. *Am j occup ther*. 2015;69(1).
113. Ross ES, & , Browne JV. Feeding outcomes in preterm infants after discharge from the Neonatal Intensive Care Unit (NICU): a systematic review. *Newborn & infant nursing reviews*. 2013;13(2):87-93.
114. Yildiz A, Arıkan D, Gozum S, Tastekin A, & , Budancamanak I. The effect of the odor of breast milk on the time needed for transition from gavage to total oral feeding in preterm infants. *J nurs scholarsh*. 2011;43(3):265-73.
115. Pinelli J, & Symington, A. . Non-nutritive sucking for promoting physiologic stability and nutrition in preterm infants. *Cochrane database syst rev*. 2001;3:CD001071.
116. Pinelli J, Symington, A., & Ciliska, D. Nonnutritive sucking in high-risk infants: benign intervention or legitimate therapy? *J obstet gynecol neonatal nurs*., 2002;31(5):582-91.
117. Pinelli J, & , Symington A. How rewarding can a pacifier be? A systematic review of nonnutritive sucking in preterm infants. *Neonatal netw*. 2000;19(8):41-8.

118. Pinelli J, & , Symington A. Non-nutritive sucking for promoting physiologic stability and nutrition in preterm infants. *Cochrane database syst rev.* 2005;4:CD001071.
119. Foster JP, Psaila K, Patterson T. Non-nutritive sucking for increasing physiologic stability and nutrition in preterm infants. *Cochrane database syst rev.* 2016;10:CD001071.
120. Yildiz A, Arikan D. The effects of giving pacifiers to premature infants and making them listen to lullabies on their transition period for total oral feeding and sucking success. *J clin nurs.* 2011;21(5-6):644-56.
121. Flacking R, Dykes F. 'Being in a womb' or 'playing musical chairs': the impact of place and space on infant feeding in NICUs. *BMC Pregnancy childbirth.* 2013;13(179):179.
122. Thoyre SM, Shaker CS, & , Pridham KF. The early feeding skills assessment for preterm infants. *Neonatal netw.* 2005;24(3):7-16.
123. Sweeney JK, Heriza CB, Blanchard Y, Dusing SC. Neonatal physical therapy. Part II: practice frameworks and evidence-based practice guidelines. *Pediatr phys ther.* 2010;22(1):2-16.
124. Clark L, Kennedy G, Pring T, Hird M. Improving bottle feeding in preterm infants: investigating the elevated side-lying position. *Infant.* 2007;3(4):154-8.
125. Dawson JA, Myers LR, Moorhead A, Jacobs SE, Ong K, Salo F, . . . , et al. A randomised trial of two techniques for bottle feeding preterm infants. *J paediatr child health.* 2013;49(6):462-6.
126. Girgin BA, Gozen D, Karatekin G. Effects of two different feeding positions on physiological characteristics and feeding performance of preterms infants: a randomized controlled trial. *J spec pediatr nurs.* 2017;23(2).

127. Jenni OG, von Siebenthal K, Wolf M, Keel M, Duc G, & , Bucher HU. Effect of nursing in the head elevated tilt position (15 degrees) on the incidence of bradycardic and hypoxemic episodes in preterm infants. *Pediatrics*. 1997;100(4):622-5.
128. Jones K. The effect of positioning on the transition from tube to oral feeding in preterm infants: a pilot study. *Arch dis child fetal neonatal ed*. 2008;93(Suppl 1): Fa80.
129. Park J, Thoyre S, Knafl GJ, Hodges EA, & , Nix WB. Efficacy of semielevated side-lying positioning during bottle-feeding of very preterm infants: a pilot study. *J perinat neonatal nurs*. 2014;28(1):39-79.
130. Mathew O. Determinants of milk flow through nipple units. *American journal of diseases of children*. 1990;144:222-4.
131. Mathew OP. Nipple units for newborn infants: a functional comparison. *Pediatrics*. 1988;81(5):688-91.
132. Eishima K. The analysis of sucking behaviour in newborn infants. *Early hum dev*. 1991;27(3):163-73.
133. Pados BF, Park J, Thoyre SM, Estrem H, Nix WB. Milk flow rates from bottle nipples used for feeding infants who are hospitalized. *American journal of speech-language pathology / American Speech-Language-Hearing Association*. 2015;24(4):671-9.
134. Pados BF, Park J, Thoyre SM, Estrem H, Nix WB. Milk flow rates from bottle nipples used after hospital discharge. *Am j matern child nurs*. 2016;41(4):237-43.
135. Pados BF, Thoyre SM, Knafl GJ, Nix WB. Heart rate variability as a feeding intervention outcome measure in the preterm infant. *Adv neonatal care*. 2017;17(5):E10-E20.



136. Pickler RH, Best AM, Reyna BA, Gutcher G, & , Wetzel PA. Predictors of nutritive sucking in preterm infants. *J perinatol*. 2006;26(11):693-9.
137. Pavlov IP, Anrep GV. *Conditioned reflexes : an investigation of the physiological activity of the cerebral cortex*. Oxford: University Press; 1927. 430 p.
138. St-Hilaire M, Samson N, Nsegbe E, Durvareille C, Moreau-Bussiere F, Micheau P, et al. Postnatal maturation of laryngeal chemoreflexes in the preterm lamb. *J appl phsiolo*. 2007;102:1429-38.
139. Jadcherla SR, Dail J, Malkar MB, McClead R, Kelleher K, & , Nelin L. Impact of process optimization and quality improvement measures on neonatal feeding outcomes at an all-referral Neonatal Intensive Care Unit. *JPEN J parenter enteral nutr*. 2015;40(5):646-55.
140. Nyqvist KH, Haggkvist AP, Hansen MN, Kylberg E, Frandsen AL, Maastrup R, et al. Expansion of the baby-friendly hospital initiative ten steps to successful breastfeeding into neonatal intensive care: expert group recommendations. *J hum lact*. 2013;29(3):300-9.
141. Ludwig S, Waitzman KA. Changing feeding documentation to reflect infant-driven feeding practice. *Newborn and infant nursing reviews*. 2007;7(3):155-60.
142. Wellington A, Perlman JM. Infant-driven feeding in premature infants: a quality improvement project. *Arch dis child fetal neonatal ed*. 2015;0:F1-F6.
143. Hwang YS, Ma MC, Tseng YM, & , Tsai WH. Associations among perinatal factors and age of achievement of full oral feeding in very preterm infants. *Pediatr neonatol*. 2013;54(5):309-14.
144. Prasse JE, & , Kikano GE. An overview of pediatric dysphagia. *Clin pediatr (Phila)*. 2009;48(3):247-51.

145. Van Nostrand SM, Bennett LN, Coraglio VJ, Guo R, & Muraskas JK. Factors influencing independent oral feeding in preterm infants. *J neonatal perinatal med.* 2015;8(1):15-21.
146. White-Traut R, Pham T, Rankin K, Norr K, Shapiro N, & Yoder J. Exploring factors related to oral feeding progression in premature infants. *Adv neonatal care.* 2013;13(4):288-94.
147. den Boer SL, Schipper JA. Feeding and drinking skills in preterm and low birth weight infants compared to full term infants at a corrected age of nine months. *Early hum dev.* 2013;89(6):445-7.
148. Dodrill P, Donovan T, Cleghorn G, McMahon S, Davies PS. Attainment of early feeding milestones in preterm neonates. *J perinatol.* 2008;28(8):549-55.
149. Pridham K, Steward D, Thoyre S, Brown R, & Brown L. Feeding skill performance in premature infants during the first year. *Early hum dev.* 2007;83(5):293-305.
150. Crapnell T, Rogers C, Neil J, Inder T, Woodward L, & Pineda R. Factors associated with feeding difficulties in the very preterm infant. *Acta paediatr.* 2013;102(12):e539-45.
151. Migraine A, Nicklaus S, Parnet P, Lange C, Monnery-Patris S, Des Robert C, et al. Effect of preterm birth and birth weight on eating behavior at 2 y of age. *Am j clin nutr.* 2013;97:1270-7.
152. Thoyre S. Feeding outcomes of extremely premature infants after neonatal care. *Journal of obstetric, gynecologic, & neonatal nursing.* 2007;36(4):366-375.
153. Jonsson M, van Doorn J, van den Berg J. Parents' perceptions of eating skills of pre-term vs full-term infants from birth to 3 years. *International journal of speech-language pathology.* 2013;15(6):604-12.

154. Demauro SB, Patel PR, Medoff-Cooper B, Posencheg M, Abbasi S. Postdischarge feeding patterns in early- and late-preterm infants. *Clin pediatr (Phila)*. 2011;50(10):957-62.

155. Milette I, Martel MJ, da Silva MR, McNeil MC. Guidelines for the institutional implementation of developmental neuroprotective care in the NICU, Part B: recommendations and justification. A Joint Position Statement From the CANN, CAPWHN, NANN, and COINN. *Canadian Journal of Nursing Research*. 2017;49(2):63-74.